



Fig. 1


BEST AVAILABLE COPY

22

<img alt="Screenshot of a Microsoft Internet Explorer browser									

47

CROWN Internet Explorer									
The 04/06/2003									
<input type="button" value="File"/>	<input type="button" value="Edit"/>	<input type="button" value="Favorites"/>	<input type="button" value="Tools"/>	<input type="button" value="Help"/>					
<input type="button" value="Back"/>		<input type="button" value="Forward"/>	<input type="button" value="Stop"/>	<input type="button" value="Search"/>					
Crown4 x Logout: e reset view   change password Client: CROWN									
<input style="margin-right: 10px;" type="button" value="Get Juste"/> <input style="margin-right: 10px;" type="button" value="Get Details"/> <input style="margin-right: 10px;" type="button" value="Get Status"/> <input style="margin-right: 10px;" type="button" value="Get Cancel"/> <input style="margin-right: 10px;" type="button" value="Get Change"/>									
<input style="margin-right: 10px;" type="button" value="Create"/> <input style="margin-right: 10px;" type="button" value="Check"/> <input style="margin-right: 10px;" type="button" value="Change Order"/> <input style="margin-right: 10px;" type="button" value="R.E."/>									
<input style="margin-right: 10px;" type="button" value="CROWN Autofill"/> <input style="margin-right: 10px;" type="button" value="Order [b1:0000.jblu"/> <input style="margin-right: 10px;" type="button" value="Shop+cl"/> <input type="button" value="Place Order"/>									
									
<input style="margin-right: 10px;" type="button" value="Print"/> <input style="margin-right: 10px;" type="button" value="Save"/> <input style="margin-right: 10px;" type="button" value="Close"/>									
<input style="margin-right: 10px;" type="button" value="Get Details"/> <input style="margin-right: 10px;" type="button" value="Get Status"/> <input style="margin-right: 10px;" type="button" value="Get Cancel"/> <input style="margin-right: 10px;" type="button" value="Get Change"/>									
<input style="margin-right: 10px;" type="button" value="Create"/> <input style="margin-right: 10px;" type="button" value="Check"/> <input style="margin-right: 10px;" type="button" value="Change Order"/> <input style="margin-right: 10px;" type="button" value="R.E."/>									
<input style="margin-right: 10px;" type="button" value="CROWN Autofill"/> <input style="margin-right: 10px;" type="button" value="Order [b1:0000.jblu"/> <input style="margin-right: 10px;" type="button" value="Shop+cl"/> <input type="button" value="Place Order"/>									
									
<input style="margin-right: 10px;" type="button" value="Print"/> <input style="margin-right: 10px;" type="button" value="Save"/> <input style="margin-right: 10px;" type="button" value="Close"/>									
<input style="margin-right: 10px;" type="button" value="Get Details"/> <input style="margin-right: 10px;" type="button" value="Get Status"/> <input style="margin-right: 10px;" type="button" value="Get Cancel"/> <input style="margin-right: 10px;" type="button" value="Get Change"/>									
<input style="margin-right: 10px;" type="button" value="Create"/> <input style="margin-right: 10px;" type="button" value="Check"/> <input style="margin-right: 10px;" type="button" value="Change Order"/> <input style="margin-right: 10px;" type="button" value="R.E."/>									
<input style="margin-right: 10px;" type="button" value="CROWN Autofill"/> <input style="margin-right: 10px;" type="button" value="Order [b1:0000.jblu"/> <input style="margin-right: 10px;" type="button" value="Shop+cl"/> <input type="button" value="Place Order"/>									
									
<input style="margin-right: 10px;" type="button" value="Print"/> <input style="margin-right: 10px;" type="button" value="Save"/> <input style="margin-right: 10px;" type="button" value="Close"/>									
<input style="margin-right: 10px;" type="button" value="Get Details"/> <input style="margin-right: 10px;" type="button" value="Get Status"/> <input style="margin-right: 10px;" type="button" value="Get Cancel"/> <input style="margin-right: 10px;" type="button" value="Get Change"/>									
<input style="margin-right: 10px;" type="button" value="Create"/> <input style="margin-right: 10px;" type="button" value="Check"/> <input style="margin-right: 10px;" type="button" value="Change Order"/> <input style="margin-right: 10px;" type="button" value="R.E."/>									
<input style="margin-right: 10px;" type="button" value="CROWN Autofill"/> <input style="margin-right: 10px;" type="button" value="Order [b1:0000.jblu"/> <input style="margin-right: 10px;" type="button" value="Shop+cl"/> <input type="button" value="Place Order"/>									
									
<input style="margin-right: 10px;" type="button" value="Print"/> <input style="margin-right: 10px;" type="button" value="Save"/> <input style="margin-right: 10px;" type="button" value="Close"/>									
<input style="margin-right: 10px;" type="button" value="Get Details"/> <input style="margin-right: 10px;" type="button" value="Get Status"/> <input style="margin-right: 10px;" type="button" value="Get Cancel"/> <input style="margin-right: 10px;" type="button" value="Get Change"/>									
<input style="margin-right: 10px;" type="button" value="Create"/> <input style="margin-right: 10px;" type="button" value="Check"/> <input style="margin-right: 10px;" type="button" value="Change Order"/> <input style="margin-right: 10px;" type="button" value="R.E."/>									
<input style="margin-right: 10px;" type="button" value="CROWN Autofill"/> <input style="margin-right: 10px;" type="button" value="Order [b1:0000.jblu"/> <input style="margin-right: 10px;" type="button" value="Shop+cl"/> <input type="button" value="Place Order"/>									
									
<input style="margin-right: 10px;" type="button" value="Print"/> <input style="margin-right: 10px;" type="button" value="Save"/> <input style="margin-right: 10px;" type="button" value="Close"/>									
<input style="margin-right: 10px;" type="button" value="Get Details"/> <input style="margin-right: 10px;" type="button" value="Get Status"/> <input style="margin-right: 10px;" type="button" value="Get Cancel"/> <input style="margin-right: 10px;" type="button" value="Get Change"/>									
<input style="margin-right: 10px;" type="button" value="Create"/> <input style="margin-right: 10px;" type="button" value="Check"/> <input style="margin-right: 10px;" type="button" value="Change Order"/> <input style="margin-right: 10px;" type="button" value="R.E."/>									
<input style="margin-right: 10px;" type="button" value="CROWN Autofill"/> <input style="margin-right: 10px;" type="button" value="Order [b1:0000.jblu"/> <input style="margin-right: 10px;" type="button" value="Shop+cl"/> <input type="button" value="Place Order"/>									
									
<input style="margin-right: 10px;" type="button" value="Print"/> <input style="margin-right: 10px;" type="button" value="Save"/> <input style="margin-right: 10px;" type="button" value="Close"/>									
<input style="margin-right: 10px;" type="button" value="Get Details"/> <input style="margin-right: 10px;" type="button" value="Get Status"/> <input style="margin-right: 10px;" type="button" value="Get Cancel"/> <input style="margin-right: 10px;" type="button" value="Get Change"/>									
<input style="margin-right: 10px;" type="button" value="Create"/> <input style="margin-right: 10px;" type="button" value="Check"/> <input style="margin-right: 10px;" type="button" value="Change Order"/> <input style="margin-right: 10px;" type="button" value="R.E."/>									
<input style="margin-right: 10px;" type="button" value="CROWN Autofill"/> <input style="margin-right: 10px;" type="button" value="Order [b1:0000.jblu"/> <input style="margin-right: 10px;" type="button" value="Shop+cl"/> <input type="button" value="Place Order"/>									
<input style="margin-right: 10px;" type="button" value="Print"/> <input style="margin-right: 10px;" type="button" value="Save"/> <input style="margin-right: 10px;" type="button" value="Close"/>									
<input style="margin-right: 10px;" type="button" value="Get Details"/> <input style="margin-right: 10px;" type="button" value="Get Status"/> <input style="margin-right: 10px;" type="button" value="Get Cancel"/> <input style="margin-right: 10px;" type="button" value="Get Change"/>									
<input style="margin-right: 10px;" type="button" value="Create"/> <input style="margin-right: 10px;" type="button" value="Check"/> <input style="margin-right: 10px;" type="button" value="Change Order"/> <input style="margin-right: 10px;" type="button" value="R.E."/>									
<input style="margin-right: 10px;" type="button" value="CROWN Autofill"/> <input style="margin-right: 10px;" type="button" value="Order [b1:0000.jblu"/> <input style="margin-right: 10px;" type="button" value="Shop+cl"/> <input type="button" value="Place Order"/>									
<input style="margin-right: 10px;" type="button" value="Print"/> <input style="margin-right: 10px;" type="button" value="Save"/> <input style="margin-right: 10px;" type="button" value="Close"/>									
<input style="margin-right: 10px;" type="button" value="Get Details"/> <input style="margin-right: 10px;" type="button" value="Get Status"/> <input style="margin-right: 10px;" type="button" value="Get Cancel"/> <input style="margin-right: 10px;" type="button" value="Get Change"/>									
<input style="margin-right: 10px;" type="button" value="Create"/> <input style="margin-right: 10px;" type="button" value="Check"/> <input style="margin-right: 10px;" type="button" value="Change Order"/> <input style="margin-right: 10px;" type="button" value="R.E."/>									
<input style="margin-right: 10px;" type="button" value="CROWN Autofill"/> <input style="margin-right: 10px;" type="button" value="Order [b1:0000.jblu"/> <input style="margin-right: 10px;" type="button" value="Shop+cl"/> <input type="button" value="Place Order"/>									
<input style="margin-right: 10px;" type="button" value="Print"/> <input style="margin-right: 10px;" type="button" value="Save"/> <input style="margin-right: 10px;" type="button" value="Close"/>									
<input style="margin-right: 10px;" type="button" value="Get Details"/> <input style="margin-right: 10px;" type="button" value="Get Status"/> <input style="margin-right: 10px;" type="button" value="Get Cancel"/> <input style="margin-right: 10px;" type="button" value="Get Change"/>									
<input style="margin-right: 10px;" type="button" value="Create"/> <input style="margin-right: 10px;" type="button" value="Check"/> <input style="margin-right: 10px;" type="button" value="Change Order"/> <input style="margin-right: 10px;" type="button" value="R.E."/>									
<input style="margin-right: 10px;" type="button" value="CROWN Autofill"/> <input style="margin-right: 10px;" type="button" value="Order [b1:0000.jblu"/> <input style="margin-right: 10px;" type="button" value="Shop+cl"/> <input type="button" value="Place Order"/>									
<input style="margin-right: 10px;" type="button" value="Print"/> <input style="margin-right: 10px;" type="button" value="Save"/> <input style="margin-right: 10px;" type="button" value="Close"/>									
<input style="margin-right: 10px;" type="button" value="Get Details"/> <input style="margin-right: 10px;" type="button" value="Get Status"/> <input style="margin-right: 10px;" type="button" value="Get Cancel"/> <input style="margin-right: 10px;" type="button" value="Get Change"/>									
<input style="margin-right: 10px;" type="button" value="Create"/> <input style="margin-right: 10px;" type="button" value="Check"/> <input style="margin-right: 10px;" type="button" value="Change Order"/> <input style="margin-right: 10px;" type="button" value="R.E."/>									
<input style="margin-right: 10px;" type="button" value="CROWN Autofill"/> <input style="margin-right: 10px;" type="button" value="Order [b1:0000.jblu"/> <input style="margin-right: 10px;" type="button" value="Shop+cl"/> <input type="button" value="Place Order"/>									
<input style="margin-right: 10px;" type="button" value="Print"/> <input style="margin-right: 10px;" type="button" value="Save"/> <input style="margin-right: 10px;" type="button" value="Close"/>									
<input style="margin-right: 10px;" type="button" value="Get Details"/> <input style="margin-right: 10px;" type="button" value="Get Status"/> <input style="margin-right: 10px;" type="button" value="Get Cancel"/> <input style="margin-right: 10px;" type="button" value="Get Change"/>									
<input style="margin-right: 10px;" type="button" value="Create"/> <input style="margin-right: 10px;" type="button" value="Check"/> <input style="margin-right: 10px;" type="button" value="Change Order"/> <input style="margin-right: 10px;" type="button" value="R.E."/>									
<input style="margin-right: 10px;" type="button" value="CROWN Autofill"/> <input style="margin-right: 10px;" type="button" value="Order [b1:0000.jblu"/> <input style="margin-right: 10px;" type="button" value="Shop+cl"/> <input type="button" value="Place Order"/>									
<input style="margin-right: 10px;" type="button" value="Print"/> <input style="margin-right: 10px;" type="button" value="Save"/> <input style="margin-right: 10px;" type="button" value="Close"/>									
<input style="margin-right: 10px;" type="button" value="Get Details"/> <input style="margin-right: 10px;" type="button" value="Get Status"/> <input style="margin-right: 10px;" type="button" value="Get Cancel"/> <input style="margin-right: 10px;" type="button" value="Get Change"/>									
<input style="margin-right: 10px;" type="button" value="Create"/> <input style="margin-right: 10px;" type="button" value="Check"/> <input style="margin-right: 10px;" type="button" value="Change Order"/> <input style="margin-right: 10px;" type="button" value="R.E."/>									
<input style="margin-right: 10px;" type="button" value="CROWN Autofill"/> <input style="margin-right: 10px;" type="button" value="Order [b1:0000.jblu"/> <input style="margin-right: 10px;" type="button" value="Shop+cl"/> <input type="button" value="Place Order"/>									
<input style="margin-right: 10px;" type="button" value="Print"/> <input style="margin-right: 10px;" type="button" value="Save"/> <input style="margin-right: 10px;" type="button" value="Close"/>									
<input style="margin-right: 10px;" type="button" value="Get Details"/> <input style="margin-right: 10px;" type="button" value="Get Status"/> <input style="margin-right: 10px;" type="button" value="Get Cancel"/> <input style="margin-right: 10px;" type="button" value="Get Change"/>									
<input style="margin-right: 10px;" type="button" value="Create"/> <input style="margin-right: 10px;" type="button" value="Check"/> <input style="margin-right: 10px;" type="button" value="Change Order"/> <input style="margin-right: 10px;" type="button" value="R.E."/>									
<input style="margin-right: 10px;" type="button" value="CROWN Autofill"/> <input style="margin-right: 10px;" type="button" value="Order [b1:0000.jblu"/> <input style="margin-right: 10px;" type="button" value="Shop+cl"/> <input type="button" value="Place Order"/>									
<input style="margin-right: 10px;" type="button" value="Print"/> <input style="margin-right: 10px;" type="button" value="Save"/> <input style="margin-right: 10px;" type="button" value="Close"/>									
<input style="margin-right: 10px;" type="button" value="Get Details"/> <input style="margin-right: 10px;" type="button" value="Get Status"/> <input style="margin-right: 10px;" type="button" value="Get Cancel"/> <input style="margin-right: 10px;" type="button" value="Get Change"/>									
<input style="margin-right: 10px;" type="button" value="Create"/> <input style="margin-right: 10px;" type="button" value="Check"/> <input style="margin-right: 10px;" type="button" value="Change Order"/> <input style="margin-right: 10px;" type="button" value="R.E."/>									
<input style="margin-right: 10px;" type="button" value="CROWN Autofill"/> <input style="margin-right: 10px;" type="button" value="Order [b1:0000.jblu"/> <input style="margin-right: 10px;" type="button" value="Shop+cl"/> <input type="button" value="Place Order"/>									
<input style="margin-right: 10px;" type="button" value="Print"/> <input style="margin-right: 10px;" type="button" value="Save"/> <input style="margin-right: 10px;" type="button" value="Close"/>									
<input style="margin-right: 10px;" type="button" value="Get Details"/> <input style="margin-right: 10px;" type="button" value="Get Status"/> <input style="margin-right: 10px;" type="button" value="Get Cancel"/> <input style="margin-right: 10px;" type="button" value="Get Change"/>									
<input style="margin-right: 10px;" type="button" value="Create"/> <input style="margin-right: 10px;" type="button" value="Check"/> <input style="margin-right: 10px;" type="button" value="Change Order"/> <input style="margin-right: 10px;" type="button" value="R.E."/>									
<input style="margin-right: 10px;" type="button" value="CROWN Autofill"/> <input style="margin-right: 10px;" type="button" value="Order [b1:0000.jblu"/> <input style="margin-right: 10px;" type="button" value="Shop+cl"/> <input type="button" value="Place Order"/>									
<input style="margin-right: 10px;" type="button" value="Print"/> <input style="margin-right: 10px;" type="button" value="Save"/> <input style="margin-right: 10px;" type="button" value="Close"/>									
<input style="margin-right: 10px;" type="button" value="Get Details"/> <input style="margin-right: 10px;" type="button" value="Get Status"/> <input style="margin-right: 10px;" type="button" value="Get Cancel"/> <input style="margin-right: 10px;" type="button" value="Get Change"/>									
<input style="margin-right: 10px;" type="button" value="Create"/> <input style="margin-right: 10px;" type="button" value="Check"/> <input style="margin-right: 10px;" type="button" value="Change Order"/> <input style="margin-right: 10px;" type="button" value="R.E."/>									
<input style="margin-right: 10px;" type="button" value="CROWN Autofill"/> <input style="margin-right: 10px;" type="button" value="Order [b1:0000.jblu"/> <input style="margin-right: 10px;" type="button" value="Shop+cl"/> <input type="button" value="Place Order"/>									
<input style="margin-right: 10px;" type="button" value="Print"/> <input style="margin-right: 10px;" type="button" value="Save"/> <input style="margin-right: 10px;" type="button" value="Close"/>									
<input style="margin-right: 10px;" type="button" value="Get Details"/> <input style="margin-right: 10px;" type="button" value="Get Status"/> <input style="margin-right: 10px;" type="button" value="Get Cancel"/> <input style="margin-right: 10px;" type="button" value="Get Change"/>									
<input style="margin-right: 10px;" type="button" value="Create"/> <input style="margin-right: 10px;" type="button" value="Check"/> <input style="margin-right: 10px;" type="button" value="Change Order"/> <input style="margin-right: 10px;" type="button" value="R.E."/>									
<input style="margin-right: 10px;" type="button" value="CROWN Autofill"/> <input style="margin-right: 10px;" type="button" value="Order [b1:0000.jblu"/> <input style="margin-right: 10px;" type="button" value="Shop+cl"/> <input type="button" value="Place Order"/>									
<input style="margin-right: 10px;" type="button" value="Print"/> <input style="margin-right: 10px;" type="button" value="Save"/> <input style="margin-right: 10px;" type="button" value="Close"/>									
<input style="margin-right: 10px;" type="button" value="Get Details"/> <input style="margin-right: 10px;" type="button" value="Get Status"/> <input style="margin-right: 10px;" type="button" value="Get Cancel"/> <input style="margin-right: 10px;" type="button" value="Get Change"/>									
<input style="margin-right: 10px;" type="button" value="Create"/> <input style="margin-right: 10px;" type="button" value="Check"/> <input style="margin-right: 10px;" type="button" value="Change Order"/> <input style="margin-right: 10px;" type="button" value="R.E."/>									
<input style="margin-right: 10px;" type="button" value="CROWN Autofill"/> <input style="margin-right: 10px;" type="button" value="Order [b1:0000.jblu"/> <input style="margin-right: 10px;" type="button" value="Shop+cl"/> <input type="button" value="Place Order"/>									
<input style="margin-right: 10px;" type="button" value="Print"/> <input style="margin-right: 10px;" type="button" value="Save"/> <input style="margin-right: 10px;" type="button" value="Close"/>									
<input style="margin-right: 10px;" type="button" value="Get Details"/> <input style="margin-right: 10px;" type="button" value="Get Status"/> <input style="margin-right: 10px;" type="button" value="Get Cancel"/> <input style="margin-right: 10px;" type="button" value="Get Change"/>									
<input style="margin-right: 10px;" type="button" value="Create"/> <input style="margin-right: 10px;" type="button" value="Check"/> <input style="margin-right: 10px;" type="button" value="Change Order"/> <input style="margin-right: 10px;" type="button" value="R.E."/>									
<input style="margin-right: 10px;" type="button" value="CROWN Autofill"/> <input style="margin-right: 10px;" type="button" value="Order [b1:0000.jblu"/> <input style="margin-right: 10px;" type="button" value="Shop+cl"/> <input type="button" value="Place Order"/>									
<input style="margin-right: 10px;" type="button" value="Print"/> <input style="margin-right: 10px;" type="button" value="Save"/> <input style="margin-right: 10px;" type="button" value="Close"/>									
<input style="margin-right: 10px;" type="button" value="Get Details"/> <input style="margin-right: 10px;" type="button" value="Get Status"/> <input style="margin-right: 10px;" type="button" value="Get Cancel"/> <input style="margin-right: 10px;" type="button" value="Get Change"/>									
<input style="margin-right: 10px;" type="button" value="Create"/> <input style="margin-right: 10px;" type="button" value="Check"/> <input style="margin-right: 10px;" type="button" value="Change Order"/> <input style="margin-right: 10px;" type="button" value="R.E."/>									
<input style="margin-right: 10px;" type="button" value="CROWN Autofill"/> <input style="margin-right: 10px;" type="button" value="Order [b1:0000.jblu"/> <input style="margin-right: 10px;" type="button" value="Shop+cl"/> <input type="button" value="Place Order"/>									
<input style="margin-right: 10px;" type="button" value="Print"/> <input style="margin-right: 10px;" type="button" value="Save"/> <input style="margin-right: 10px;" type="button" value="Close"/>									
<input style="margin-right: 10px;" type="button" value="Get Details"/> <input style="margin-right: 10px;" type="button" value="Get Status"/> <input style="margin-right: 10px;" type="button" value="Get Cancel"/> <input style="margin-right: 10px;" type="button" value="Get Change"/>									
<input style="margin-right: 10px;" type="button" value="Create"/> <input style="margin-right: 10px;" type="button" value="Check"/> <input style="margin-right: 10px;" type="button" value="Change Order"/> <input style="margin-right: 10px;" type="button" value="R.E."/>									
<input style="margin-right: 10px;" type="button" value="CROWN Autofill"/> <input style="margin-right: 10px;" type="button" value="Order [b1:0000.jblu"/> <input style="margin-right: 10px;" type="button" value="Shop+cl"/> <input type="button" value="Place Order"/>									
<input style="margin-right: 10px;" type="button" value="Print"/> <input style="margin-right: 10px;" type="button" value="Save"/> <input style="margin-right: 10px;" type="button" value="Close"/>									
<input style="margin-right: 10px;" type="button" value="Get Details"/> <input style="margin-right: 10px;" type="button" value="Get Status"/> <input style="margin-right: 10px;" type="button" value="Get Cancel"/> <input style="margin-right: 10px;" type="button" value="Get Change"/>									
<input style="margin-right: 10px;" type="button" value="Create"/> <input style="margin-right: 10px;" type="button" value="Check"/> <input style="margin-right: 10px;" type="button" value="Change Order"/> <input style="margin-right: 10px;" type="button" value="R.E."/>									
<input style="margin-right: 10px;" type="button" value="CROWN Autofill"/> <input style="margin-right: 10px;" type="button" value="Order [b1:0000.jblu"/> <input style="margin-right: 10px;" type="button" value="Shop+cl"/> <input type="button" value="Place Order"/>									
<input style="margin-right: 10px;" type="button" value="Print"/> <input style="margin-right: 10px;" type="button" value="Save"/> <input style="margin-right: 10px;" type="button" value="Close"/>									
<input style="margin-right: 10px;" type="button" value="Get Details"/> <input style="margin-right: 10px;" type="button" value="Get Status"/> <input style="margin-right: 10px;" type="button" value="Get Cancel"/> <input style="margin-right: 10px;" type="button" value="Get Change"/>									
<input style="margin-right: 10px;" type="button" value="Create"/> <input style="margin-right: 10px;" type="button" value="Check"/> <input style="margin-right: 10px;" type="button" value="Change Order"/> <input style="margin-right: 10px;" type="button" value="R.E."/>									
<input style="margin-right: 10px;" type="button" value="CROWN Autofill"/> <input style="margin-right: 10px;" type="button" value="Order [b1:0000.jblu"/> <input style="margin-right: 10px;" type="button" value="Shop+cl"/> <input type="button" value="Place Order"/>									
<input style="margin-right: 10px;" type="button" value="Print"/> <input style="margin-right: 10px;" type="button" value="Save"/> <input style="margin-right: 10px;" type="button" value="Close"/>									
<input style="margin-right: 10px;" type="button" value="Get Details"/> <input style="margin-right: 10px;" type="button" value="Get Status"/> <input style="margin-right: 10px;" type="button" value="Get Cancel"/> <input style="margin-right: 10px;" type="button" value="Get Change"/>									
<input style="margin-right: 10px;" type="button" value="Create"/> <input style="margin-right: 10px;" type="button" value="Check"/> <input style="margin-right: 10px;" type="button" value="Change Order"/> <input style="margin-right: 10px;" type="button" value="R.E."/>									
<input style="margin-right: 10px;" type="button" value="CROWN Autofill"/> <input type="button" value="Order [b1:0000.j									



**Fig. 2C**

**BEST AVAILABLE COPY**





Fig. 3



**Fig. 4 - Data Flow**

BEST AVAILABLE COPY